Internet Application Development

Lab no: 02






File Edit View Git Project Build Debug Test Analyze Tools Extensions Window Help
Search (Ctrl+Q)
lab 02
Sign in
Live Share
Debug
Any CPU
IIS Express (Microsoft Edge)
DOCTYPE: XHTML5
Default.aspx
Default.aspx.vb
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="Default.aspx.vb" Inherits="_Default" %>
<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
<title></title>
</head>
<body>
<form id="form1" runat="server">

</form>
</body>
</html>
100 %
No issues found
Ln: 1 Ch: 1 SPC CRLF
Design Split Source
Output
Show output from:
Solution Explorer
Search Solution Explorer (Ctrl+;)
Solution 'lab 02' (1 of 1 project)
lab 02
Default.aspx
Default.aspx.vb
Solution Explorer Git Changes
Properties
DOCUMENT
ASP.NET
Culture
Debug
EnableSessionState
Explicit
Language VB
MasterPageFile
Strict
StyleSheetTheme
ASP.NET


File Edit View Git Project Build Debug Test Analyze Tools Extensions Window Help
Search (Ctrl+Q)
lab 02
Sign in
Live Share
Debug
Any CPU
IIS Express (Microsoft Edge)
Toolbox
Search Toolbox
Standard
Pointer
AdRotator
BulletedList
Button
Calendar
CheckBox
CheckBoxList
DropDownList
FileUpload
HiddenField
HyperLink
Image
ImageButton
ImageMap
Label
LinkButton
ListBox
Literal
Localize
MultiView
Panel
PlaceHolder
RadioButton
RadioButtonList
Substitution
Table
TextBox
View
Wizard
Xml
Data
Default.aspx.vb
Ln: 1 Ch: 1 SPC CRLF
Solution Explorer
Search Solution Explorer (Ctrl+;)
Solution 'lab 02' (1 of 1 project)
lab 02
Default.aspx
Default.aspx.vb
HtmlPage.html
Web.config
Solution Explorer Git Changes
Properties

File Edit View Git Project Build Debug Test Analyze Tools Extensions Window Help Search (Ctrl+Q) lab 02 Sign in

Debug Any CPU IIS Express (Microsoft Edge) Live Share

Default.aspx.vb* HtmlPage.html Default.aspx

1_Default.aspx form1 PreRender

```
2 references
Partial Class _Default
    Inherits System.Web.UI.Page

    0 references
    Private Sub form1_Init(sender As Object, e As EventArgs) Handles form1.Init
        Response.Write("Form 1 Init")
    End Sub

    0 references
    Private Sub form1_Load(sender As Object, e As EventArgs) Handles form1.Load
        Response.Write("Form 1 Loading")
    End Sub

    0 references
    Private Sub form1_PreRender(sender As Object, e As EventArgs) Handles form1.PreRender
        Response.Write("Form 1 rendring")
    End Sub
End Class
```

100 % No issues found Ln: 13 Ch: 45 SPC CRLF

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'lab 02' (1 of 1 project)
- lab 02
  - Default.aspx
    - Default.aspx.vb
  - HtmlPage.html
  - Web.config

Solution Explorer Git Changes

Properties

Output

Show output from: Debug

```
'iisexpress.exe' (CLR v4.0.30319: /LM/W3SVC/2/ROOT-1-133535396768573759): Loaded 'A_122be07f_4ac0_4418_9e91_36cfff8f6213'.
'iisexpress.exe' (CLR v4.0.30319: /LM/W3SVC/2/ROOT-1-133535396768573759): Loaded 'C:\WINDOWS\Microsoft.Net\assembly\GAC_MSIL\System.Data.Services.Design\v4.0_4.0.0.0__b77a5c5
'iisexpress.exe' (CLR v4.0.30319: /LM/W3SVC/2/ROOT-1-133535396768573759): Loaded 'C:\WINDOWS\Microsoft.Net\assembly\GAC_MSIL\Microsoft.Build.Framework\v4.0_4.0.0.0__b03f5f7f1
'iisexpress.exe' (CLR v4.0.30319: /LM/W3SVC/2/ROOT-1-133535396768573759): Loaded 'C:\Users\user\AppData\Local\Temp\Temporary ASP.NET Files\vs\c74337e9\b999d86a\App_Web_53syva
'iisexpress.exe' (CLR v4.0.30319: /LM/W3SVC/2/ROOT-1-133535396768573759): Loaded 'C:\WINDOWS\Microsoft.Net\assembly\GAC_MSIL\System.Web.Mobile\v4.0_4.0.0.0__b03f5f7f11d50a3a\
'iisexpress.exe' (CLR v4.0.30319: /LM/W3SVC/2/ROOT-1-133535396768573759): Loaded 'C:\Users\user\AppData\Local\Temp\Temporary ASP.NET Files\vs\c74337e9\b999d86a\App_Web_dlth0
The program '[6288] iisexpress.exe' has exited with code 0 (0x0).
```

localhost:54969/Defa...

Form 1 Init
Form 1 Loading
Form 1 rendring